Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. S. Bretscher
C. R. Cantor
P. Chambon
M. Gellert
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
P. M. B. Walker
S. M. Weissman

VOLUME 144

25 November to 25 December 1980

ACADEMIC PRESS
London New York San Francisco

Copyright © 1980, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 144

Number 1, 25 November 1980

Miller, J. H., Calos, M. P., Galas, D., Hofer, M., Buchel, D. E. and Müller-Hill, B., Genetic Analysis of Transpositions in the *lac* Region of *Escherichia coli* 1

Galas, D. J., Calos, M. P. and Miller, J. H., Sequence Analysis of Tn*9* Insertions in the *lacZ* Gene 19

James, M. N. G., Sielecki, A. R., Brayer, G. D., Delbaere, L. T. J. and Bauer, C.-A., Structures of Product and Inhibitor Complexes of *Streptomyces griseus* Protease A at 1·8 Å Resolution . . . 43

Letters to the Editor

Thomas, J. O. and Butler, P. J. G., Size-dependence of a Stable Higher-order Structure of Chromatin 89

Paulin, D., Forest, N. and Perreau, J., Cytoskeletal Proteins used as Marker of Differentiation in Mouse Teratocarcinoma Cells . 95

Number 2, 5 December 1980

Boeke, J. D., Russel, M. and Model, P., Processing of Filamentous Phage Pre-coat Protein: Effect of Sequence Variations Near the Signal Peptidase Cleavage Site 103

Ross, P. and Howard-Flanders, P., Effect of *lig*-7 on Strand Joining in Repair of Damaged DNA and on Cutting of Intact Homologous DNA (cutting *in trans*) in *Escherichia coli* 117

Oppenheim, D. S., Bennett, G. N. and Yanofsky, C., *Escherichia coli* RNA Polymerase and *trp* Repressor Interaction with the Promoter-Operator Region of the Tryptophan Operon of *Salmonella typhimurium* . . 133

Oppenheim, D. S. and Yanofsky, C., Functional Analysis of Wild-type and Altered Tryptophan Operon Promoters of *Salmonella typhimurium* in *Escherichia coli* 143

Ketner, G. and Kelly, T. J., Jr, Structure of Integrated Simian Virus 40 DNA in Transformed Mouse Cells 163

Wakelin, L. P. G. and Waring, M. J., Kinetics of Drug–DNA Interaction: Dependence of the Binding Mechanism on Structure of the Ligand . 183

Letter to the Editor

Kleckner, N. and Ross, D. G., *rec*A-dependent Genetic Switch Generated by Transposon Tn10 215

Number 3, 15 December 1980

Sellers, J. R., Chantler, P. D. and Szent-Györgyi, A. G., Hybrid Formation Between Scallop Myofibrils and Foreign Regulatory Light-chains 223

Fischoff, D. A., Vovis, G. F. and Zinder, N. D., Organization of Chimeras between Filamentous Bacteriophage f1 and Plasmid pSC101 . . 247

Sharma, V. S., Newton, G. L., Ranney, H. M., Ahmed, F., Harris, J. W. and Danish, E. H., Hemoglobin Rothschild (β37(C3)Trp→Arg): A High/Low Affinity Hemoglobin Mutant 267

Hinz, H.-J., Greulich, K. O., Ludwig, H. and Marvin D. A., Calorimetric, Density and Circular Dichroism Studies of the Reversible Structural Transition in Pf1 Filamentous Bacterial Virus 281

Kozak, M., Binding of Wheat Germ Ribosomes to Bisulfite-modified Reovirus Messenger RNA: Evidence for a Scanning Mechanism . 291

Hörz, W. and Zachau, H. G., Deoxyribonuclease II as a Probe for Chromatin Structure. I. Location of Cleavage Sites . . . 305

Hörz, W., Miller, F., Klobeck, G. and Zachau, H. G., Deoxyribonuclease II as a Probe for Chromatin Structure. II. Mode of Cleavage . . 329

Lemmers, M., De Beuckeleer, M., Holsters, M., Zambryski, P., Depicker, A., Hernalsteens, J. P., Van Montagu, M. and Schell, J., Internal Organization, Boundaries and Integration of Ti-plasmid DNA in Nopaline Crown Gall Tumours 353

Nevins, J. R., Blanchard, J.-M. and Darnell, J. E., Jr, Transcription Units of Adenovirus Type 2. Termination of Transcription Beyond the Poly(A) Addition Site in Early Regions 2 and 4 377

Letters to the Editor

Heilmann, H., Pühler, A., Burkhardt, H.-J. and Reeve J. N., Transposon Mutagenesis of the Gene Encoding the Bacteriophage P1 Restriction Endonuclease. Co-linearity of the Gene and Gene Product 387

EIKENBERRY, E. F. and BRODSKY, B., X-ray Diffraction of Reconstituted Collagen Fibers 397

GILBERT, G. A. and GILBERT, L. M., Detection in the Ultracentrifuge of Protein Heterogeneity by Computer Modelling, Illustrated by Pyruvate Dehydrogenase Multienzyme Complex . . . 405

ANNOUNCEMENT 409

NUMBER 4, 25 DECEMBER 1980

ANNOUNCEMENT FROM THE EDITORS 441

PIEKAROWICZ, A. and BRZEZIŃSKI, R., Cleavage and Methylation of DNA by the Restriction Endonuclease *Hin*fIII Isolated from *Haemophilus influenzae* Rf 415

WIDOM, J. and BALDWIN, R. L., Cation-induced Toroidal Condensation of DNA. Studies with $Co^{3+}(NH_3)_6$ 431

YUTANI, K., OGASAHARA, K. and SUGINO, Y., pH Dependence of Stability of the Wild-type Tryptophan Synthase α-Subunit and Two Mutant Proteins (Glu49→Met or Gln) 455

ADACHI, K. and ASAKURA, T., Polymerization of Deoxyhemoglobin C_{Harlem} (β6 Glu → Val, β73 Asp → Asn). The effect of β73 Asparagine on the Gelation and Crystallization of Hemoglobin 467

EMMONS, S. W., ROSENZWEIG, B. and HIRSH, D., Arrangement of Repeated Sequences in the DNA of the Nematode *Caenorhabditis elegans* . . 481

YUAN, R., HAMILTON, D. L., HADI, S. M. and BICKLE, T. A., Role of ATP in the Cleavage Mechanism of the *Eco*P15 Restriction Endonuclease . 501

CREIGHTON, T. F., Role of the Environment in the Refolding of Reduced Pancreatic Trypsin Inhibitor 521

IMAI, K., IKEDA-SAITO, M. and YONETANI, T., Studies on Cobalt Myoglobins and Hemoglobins. XIII. A Consequence of the Occurrence of Glutamine at the E7 (58) Site of α Subunits in Opossum Hemoglobin . . 551

BRIDSON, P. K. and ORGEL, L. E. Catalysis of Accurate Poly(C)-directed Synthesis of 3′-5′-linked Oligoguanylates by Zn^{2+} . . . 567

VAN ROODE, J. H. G. and ORGEL, L. E., Template-directed Synthesis of Oligoguanylates in the Presence of Metal Ions 579

LETTERS TO THE EDITOR

PINKHAM, J. L., PLATT, T., ENQUIST, L. W. and WEISBERG, R. A. The Secondary Attachment Site for Bacteriophage λ in the *pro*A/B Gene of *Escherichia coli* 587

Sieker, L. C., Jensen, L. H., Bruschi, M., LeGall, J., Moura, I. and Xavier, A. V., Desulforedoxin: Preliminary X-ray Diffraction Study of a New Iron-containing Protein 593

Plumbridge, J. A. and Springer, M., Genes for the Two Subunits of Phenylalanyl-tRNA Synthetase of *Escherichia coli* are Transcribed from the same Promoter 595

Wüthrich, K., Eugster, A. and Wagner, G., p^2H Dependence of the Exchange with the Solvent of Interior Amide Protons in Basic Pancreatic Trypsin Inhibitor Modified by Reduction of the Disulfide Bond 14–38 601

Index to Volume 144

ADACHI, K. & ASAKURA, T., Polymerization of deoxyhemoglobin C_{Harlem} (β6 Glu → Val, β73 Asp → Asn). The effect of β73 asparagine on the gelation and crystallization of hemoglobin, 467

Adenovirus type 2 transcription units; termination of transcription beyond the poly(A) addition site in early regions 2 and 4, 377

AHMED, F. (see also SHARMA, V. S.), 267

Amide protons, interior, p^2H dependence of the exchange with their solvent in basic pancreatic trypsin inhibitor modified by reduction of the disulfide bond, 601

ASAKURA, T. (see also ADACHI, K.), 467

ATP, role in the cleavage mechanism of the *Eco*P15 restriction endonuclease, 501

Attachment site, secondary, for bacteriophage λ in the *pro*A/B gene of *Escherichia coli*, 587

Bacteriophage f1, organization of chimeras formed with plasmid pSC101, 247

— λ, the secondary attachment site in the *pro*A/B gene of *Escherichia coli*, 587

— P1 restriction endonuclease, transposon mutagenesis of the encoding gene; co-linearity of the gene and gene product, 387

BALDWIN, R. L. (see also WIDOM, J.), 431

BAUER, C.-A. (see also JAMES, M. N. G.), 43

BENNETT, G. N. (see also OPPENHEIM, D. S.), 133

β6 Glu → Val, β73 Asp → Asn, deoxyhemoglobin C_{Harlem}, polymerization: the effect of β73 asparagine on the gelation and crystallization of hemoglobin, 467

β37(C3)Trp → Arg, hemoglobin Rothschild: a high/low affinity hemoglobin mutant, 267

β73 asparagine, effect on the gelation and crystallization of hemoglobin; polymerization of deoxyhemoglobin C_{Harlem} (β6 Glu → Val, β73 Asp → Asn), 467

BICKLE, T. (see also YUAN, R.), 501

Binding mechanism, dependence on structure of the ligand; kinetics of drug–DNA interaction, 183

— of wheat germ ribosomes to bisulfite-modified reovirus mRNA: evidence for a scanning mechanism, 291

Bisulfite-modified reovirus mRNA, binding of wheat germ ribosomes; evidence for a scanning mechanism, 291

BLANCHARD, J.-M. (see also NEVINS, J. R.), 377

BOEK, J. D., RUSSEL, M. & MODEL, P., Processing of filamentous phage pre-coat protein: effect of sequence variations near the signal peptidase cleavage site, 103

BRAYER, G. D. (see also JAMES, M. N. G.), 43

BRIDSON, P. K. & ORGEL, L. E., Catalysis of accurate poly(C)-directed synthesis of 3′-5′-linked oligoguanylates by Zn^{2+}, 567

BRODSKY, B. (see also EIKENBERRY, E. F.), 397

BRUSCHI, M. (see also SIEKER, L. C.), 593

BRZEZIŃSKI, R. (see also PIEKAROWICZ, A.), 415

BUCHEL, D. E. (see also MILLER, J. H.), 1

BURKHARDT, H.-J. (see also HEILMANN, H.), 387

BUTLER, P. J. G. (see also THOMAS, J. O.), 89

Caenorhabditis elegans, nematode, arrangement of repeated sequences in the DNA, 481

Calorimetric, density and circular dichroism studies of the reversible structural transition in Pf1 filamentous bacterial virus, 281

CALOS, M. P. (see also GALAS, D. J.), 19

— (see also MILLER, J. H.), 1

Catalysis of accurate poly(C)-directed synthesis of 3′-5′-linked oligoguanylates by Zn^{2+}, 567

—, serine protease, a model; structures of product and inhibitor complexes of *Streptomyces griseus* at 1·8 Å resolution, 43

Cation-induced toroidal condensation of DNA; studies with $Co^{3+}(NH_3)_6$, 431
CHANTLER, P. D. (see also SELLERS, J. R.), 223
Chimeras between filamentous bacteriophage f1 and plasmid pSC101; organization, 247
Chromatin, size-dependence of a stable higher-order structure, 89
— structure, studies using deoxyribonuclease II as a probe; location of cleavage sites, 305
— — — — — — — — —; mode of cleavage, 329
Circular dichroism, calorimetric and density studies of the reversible structural transition in Pf1 filamentous bacterial virus, 281
— and methylation of DNA by the restriction endonuclease and *Hin*fIII isolated from *Haemophilus influenzae* Rf, 415
— mechanism of the *Eco*P15 restriction endonuclease, the role of ATP, 501
— mode; deoxyribonuclease II as a probe for chromatin structure, 329
— site location; deoxyribonuclease II as a probe for chromatin structure, 305
$Co^{3+}(NH_3)_6$-induced DNA condensation, 431
Cobalt myoglobins and hemoglobins: a consequence of the occurrence of glutamine at the E7 (58) site of α subunits in opossum hemoglobin, 551
Collagen fibers, reconstituted, an X-ray diffraction study, 397
Computer modelling, detection in the ultracentrifuge of protein heterogeneity, illustrated by pyruvate dehydrogenase multienzyme complex, 405
Condensation, cation-induced, of DNA; studies with $Co^{3+}(NH_3)_6$, 431
CREIGHTON, T. F., Role of the environment in the refolding of reduced pancreatic trypsin inhibitor, 521
Crown gall tumours, nopaline: internal organization, boundaries and integration of Ti-plasmid DNA, 353
Cutting, *recA*$^+$-dependent, in DNA molecules, 117
Cytoskeletal proteins used as marker of differentiation in mouse teratocarcinoma cells, 95

DANISH, E. H. (see also SHARMA, V. S.), 267
DARNELL, J. E., JR (see also NEVINS, J. R.), 377
DE BEUCKELEER, M. (see also LEMMERS, M.), 353
DELBAERE, L. T. J. (see also JAMES, M. N. G.), 43
Deoxyhemoglobin C_{Harlem} (β6 Glu → Val, β73 Asp → Asn) polymerization; the effect of β73 asparagine on the gelation and crystallization of the hemoglobin, 467
Deoxyribonuclease II as a probe for chromatin structure; location of cleavage sites, 305
— — — — — — — — —; mode of cleavage, 329
DNA, arrangement of repeated sequences in the nematode *Caenorhabditis elegans*, 481
—, cation-induced toroidal condensation; studies with $Co^{3+}(NH_3)_6$, 431
—, cleavage and methylation by the restriction endonuclease *Hin*fIII isolated from *Haemophilus influenzae* RF, 415
—, damaged, effect of *lig-7* on strand joining in repair; also the effect on cutting of intact homologous DNA (cutting *in trans*), in *Escherichia coli*, 117
—, SV40, integrated, structure in transformed mouse cells, 163,
—, Ti-plasmid, in nopaline crown gall tumours: internal organization, boundaries and integration, 353
— –drug interaction kinetics; dependence of the binding mechanism on structure of the ligand, 183
DEPICKER, A. (see also LEMMERS, M.), 353
Desulforedoxin: preliminary X-ray diffraction study of a new iron-containing protein, 593
Differentiation in mouse teratocarcinoma cells, cytoskeletal proteins used as marker, 95
Disulfide bond (14–38)-reduced basic pancreatic trypsin inhibitor, p^2H dependence of the exchange with the solvent of interior amide protons, 601
Drug–DNA interaction kinetics; dependence of the binding mechanism on structure of the ligand, 183

*Eco*P15 restriction endonuclease, role of ATP in the cleavage mechanism, 501
EIKENBERRY, E. F. & BRODSKY, B., X-ray diffraction of reconstituted collagen fibers, 397
EMMONS, S. W., ROSENZWEIG, B. & HIRSH, D., Arrangement of repeated sequences in the DNA of the nematode *Caenorhabditis elegans*, 481
ENQUIST, L. W. (see also PINKHAM, J. L.), 587
Escherichia coli, effect of *lig-7* on strand joining in repair of damaged DNA and on cutting of intact homologous DNA (cutting *in trans*), 117
— —, functional analysis of wild-type and altered tryptophan operon promoters of *Salmonella typhimurium*, 143

Escherichia coli, genetic analysis of transpositions in the *lac* region, 1
— — phenylalanyl-tRNA synthetase, genes for the two subunits are transcribed from the same promoter, 595
— — RNA polymerase and *trp* repressor interaction with the promoter-operator region of the tryptophan operon of *Salmonella typhimurium*, 133
— —, the secondary attachment site for bacteriophage λ in the *pro*A/B gene, 587
EUGSTER, A. (see also WÜTHRICH, K.), 601

f1 (see also Bacteriophage), 247
Fibers, collagen, reconstituted, an X-ray diffraction study, 397
Filamentous bacterial virus, Pf1: calorimetric, density and circular dichroism studies of the reversible structural transition, 281
— bacteriophage f1, organization of chimeras formed with plasmid pSC101, 247
— phage pre-coat protein processing; effect of sequence variations near the signal peptidase cleavage site, 103
FISCHOFF, D. A., VOVIS, G. F. & ZINDER, N. D., Organization of chimeras between filamentous bacteriophage f1 and plasmid pSC101, 247
FOREST, N. (see also PAULIN, D.), 95

GALAS, D. J., CALOS, M. P. & MILLER, J. H., Sequence analysis of Tn*9* insertions in the *lacZ* gene, 19
GALAS, D. (see also MILLER, J. H.), 1
Gene encoding the bacteriophage P1 restriction endonuclease, transposon mutagenesis; co-linearity of the gene and gene product, 387
—, *lacZ*, sequence analysis of Tn*9* insertions, 19
Genes for the two subunits of phenylalanyl-tRNA synthetase of *Escherichia coli* are transcribed from the same promoter, 595
Genetic analysis of transpositions in the *lac* region of *Escherichia coli*, 1
— switch, *rec*A-dependent, generated by transposon Tn10, 215
GILBERT, G. A. & GILBERT, L. M., Detection in the ultracentrifuge of protein heterogeneity by computer modelling, illustrated by pyruvate dehydrogenase multienzyme complex, 405
GILBERT, L. M. (see also GILBERT, G. A.), 405
Glu49 → Met or Gln, two mutant proteins, and wild-type tryptophan synthase α-subunit, pH dependence of their stability, 455
Glutamine, a consequence of its occurrence at the E7 (58) site of α subunits in opossum hemoglobin; studies on cobalt myoglobins and hemoglobins, 551
GREULICH, K. O. (see also HINZ, H.-J.), 281

HADI, S. M. (see also YUAN, R.), 501
Haemophilus influenzae Rf-isolated restriction endonuclease *Hin*fIII, cleavage and methylation of DNA, 415
HAMILTON, D. L. (see also YUAN, R.), 501
HARRIS, J. W. (see also SHARMA, V. S.), 267
HEILMANN, H., PÜHLER, A., BURKHARDT, H.-J. & REEVE, J. N., Transposon mutagenesis of the gene encoding the bacteriophage P1 restriction endonuclease. Co-linearity of the gene and gene product, 387
Hemoglobin gelation and crystallization, the effect of β73 asparagine; polymerization of deoxyhemoglobin C_{Harlem} (β6 Glu → Val, β73 Asp → Asn), 467
—, opossum, a consequence of the occurrence of glutamine at the E7 (58) site of α subunits; studies on cobalt myoglobins and hemoglobins, 551
— Rothschild (β37(C3)Trp → Arg): a high/low affinity hemoglobin mutant, 267
HERNALSTEENS, J. P. (see also LEMMERS, M.), 353
*Hin*fIII restriction endonucleases isolated from *Haemophilus influenzae* Rf, cleavage and methylation of DNA, 415
HINZ, H.-J., GREULICH, K. O., LUDWIG, H. & MARVIN, D. A., Calorimetric, density and circular dichroism studies of the reversible structural transition in Pf1 filamentous bacterial virus, 281
HIRSH, D. (see also EMMONS, S. W.), 481
HOFER, M. (see also MILLER, J. H.), 1

HOLSTERS, M. (see also LEMMERS, M.), 353
HOWARD-FLANDERS, P. (see also ROSS, P.), 117
HÖRS, W. & ZACHAU, H. G., Deoxyribonuclease II as a probe for chromatin structure. I. Location of cleavage sites, 305
—, MILLER, F., KLOBECK, G. & ZACHAU, H. G., Deoxyribonuclease II as a probe for chromatin structure. II. Mode of cleavage, 329
Hybrid formation between scallop myofibrils and foreign regulatory light-chains, 223

IKEDA-SAITO, M. (see also IMAI, K.), 551
IMAI, K., IKEDA-SAITO, M. & YONETANI, T., Studies on cobalt myoglobins and hemoglobins. XIII. A consequence of glutamine at the E7 (58) site of α subunits in opossum hemoglobin, 551
Iron-containing protein, new: preliminary X-ray diffraction study of desulforedoxin, 593

JAMES, M. N. G., SIELECKI, A. R., BRAYER, G. D., DELBAERE, L. T. J. & BAUER, C.-A., Structures of product and inhibitor complexes of *Streptomyces griseus* protease A at 1·8 Å resolution, 43
JENSEN, L. H. (see also SIEKER, L. C.), 593

KELLY, T. J., JR (see also KETNER, G.), 163
KETNER, G. & KELLY, T. J., JR, Structure of integrated simian virus 40 DNA in transformed mouse cells, 163
Kinetics of drug–DNA interaction; dependence of the binding mechanism on structure of the ligand, 183
KLECKNER, N. & ROSS, D. G., *rec*A-dependent genetic switch generated by transposon Tn10, 215
KLOBECK, G. (see also HÖRZ, W.), 329
KOZAK, M., Binding of wheat germ ribosomes to bisulfite-modified reovirus messenger RNA: evidence for a scanning mechanism, 291

λ (see also Bacteriophage), 587
lac region of *Escherichia coli*, genetic analysis of transpositions, 1
lacZ gene, sequence analysis of Tn*9* insertions, 19
LEGALL, J. (see also SIEKER, L. C.), 593
LEMMERS, M., DE BEUCKELEER, M., HOLSTERS, M., ZAMBRYSKI, P., DEPICKER, A., HERNALSTEENS, J. P., VAN MONTAGU, M. & SCHELL, J., Internal organization, boundaries and integration of Ti-plasmid DNA in nopaline crown gall tumours, 353
lig-7, effect on strand joining in repair of damaged DNA and on cutting of intact homologous DNA (cutting *in trans*) in *Escherichia coli*, 117
Light-chains, regulatory, foreign, hybrid formation with scallop myofibrils, 223
LUDWIG, H. (see also HINZ, H.-J.), 281

MARVIN, D. A. (see also HINZ, H.-J.), 281
Messenger RNA, reovirus, bisulfite-modified, binding of wheat germ ribosomes; evidence for a scanning mechanism, 291
Metal ions and the template-directed synthesis of oligoguanylates, 579
Methylation and cleavage of DNA by the restriction endonuclease *Hin*fIII isolated from *Haemophilus influenzae* Rf, 415
MILLER, F. (see also HÖRZ, W.), 329
MILLER, J. H., CALOS, M. P., GALAS, D., HOFER, M., BUCHEL, D. E. & MÜLLER-HILL, B., Genetic analysis of transpositions in the *lac* region of *Escherichia coli*, 1
— (see also GALAS, D. J.), 19
MODEL, P. (see also BOEKE, J. D.), 103
MOURA, I. (see also SIEKER, L. C.), 593
Mouse cells, transformed, structure of integrated SV40 DNA, 163
— teratocarcinoma cells, cytoskeletal proteins used as marker of differentiation, 95
MÜLLER-HILL, B. (see also MILLER, J. H.), 1
Mutagenesis, transposon, of the gene encoding the bacteriophage P1 restriction endonuclease; co-linearity of the gene and gene product, 387
Mutant, hemoglobin, high/low affinity: hemoglobin Rothschild (β37(C3'Trp → Arg), 267

Mutant proteins, two (Glu49 → Met or Gln), and wild-type tryptophan synthase α-subunit, PH dependence of their stability, 455
Myofibrils, scallop, hybrid formation with foreign regulatory light-chains, 223
Myoglobins and hemoglobins, cobalt: a consequence of the occurrence of glutamine at the E7 (58) site of α subunits in opossum hemoglobin, 551

Nematode *Caenorhabditis elegans*, arrangement of repeated sequences in the DNA, 481
Nevins, J. R., Blanchard, J.-M. & Darnell, J. E., Jr, Transcription units of adenovirus type 2. Termination of transcription beyond the poly(A) addition site in early regions 2 and 4, 377
Newton, G. L. (see also Sharma, V. S.), 267
Nopaline crown gall tumours: internal organization, boundaries and integration of Ti-plasmid DNA, 353

Ogasahara, K. (see also Yutani, K.), 455
Oligoguanylate template-directed synthesis in the presence of metal ions, 579
Oligoguanylates, 3′-5′-linked, catalysis of accurate poly(C)-directed synthesis by Zn^{2+}, 567
Opossum hemoglobin, a consequence of the occurrence of glutamine at the E7 (58) site of α subunits; studies on cobalt myoglobins and hemoglobins, 551
Oppenheim, D. S., Bennett, G. N. & Yanofsky, C., *Escherichia coli* RNA polymerase and *trp* repressor interaction with the promoter-operator region of the tryptophan operon of *Salmonella typhimurium*, 133
— & Yanofsky, C., Functional analysis of wild-type and altered tryptophan operon promoters of *Salmonella typhimurium* in *Escherichia coli*, 143
Orgel, L. E. (see also Bridson, P. K.), 567
— (see also Van Roode, J. H. G.), 579

P1 (see also Bacteriophage), 387
Pancreatic trypsin inhibitor, basic, modified by reduction of the disulfide bond 14–38, p^2H dependence of the exchange with the solvent of interior amide protons, 601
— — —, reduced, role of the environment in refolding, 521
Paulin, D., Forest, N. & Perreau, J., Cytoskeletal proteins used as marker of differentiation in mouse teratocarcinoma cells, 95
Perreau, J. (see also Paulin, D.), 95
Pf1 filamentous bacterial virus, calorimetric, density and circular dichroism studies of the reversible structural transition, 281
pH dependence of stability of the wild-type tryptophan synthase α-subunit and two mutant proteins (Glu49 → Met or Gln), 455
p^2H dependence of the exchange with the solvent of interior amide protons in basic pancreatic trypsin inhibitor modified by reduction of the disulfide bond 14–38, 601
Phage, filamentous, processing of pre-coat protein; effect of sequence variations near the signal peptidase cleavage site, 103
Phenylalanyl-tRNA synthetase of *Escherichia coli* genes for the two subunits are transcribed from the same promoter, 595
Piekarowicz, A. & Brzeziński, R., Cleavage and methylation of DNA by the restriction endonuclease *Hin*fIII isolated from *Haemophilus influenzae* Rf, 415
Pinkham, J. L., Platt, T., Enquist, L. W. & Weisberg, R. A., The secondary attachment site for bacteriophage λ in the *pro*A/B gene of *Escherichia coli*, 587
Plasmid pSC101, organization of chimeras formed with filamentous bacteriophage f1, 247
Plasmids (see also Ti-plasmids), 353
Platt, T. (see also Pinkham, J. L.), 587
Plumbridge, J. A. & Springer, M., Genes for the two subunits of phenylalanyl-tRNA synthetase of *Escherichia coli* are transcribed from the same promoter, 595
Poly(C)-directed synthesis, accurate, of 3′-5′-linked oligoguanylates, catalysis by Zn^{2+}, 567
Polymerization of deoxyhemoglobin C_{Harlem} (β6 Glu → Val, β73 Asp → Asn); the effect of β73 asparagine on the gelation and crystallization of hemoglobin, 467
*pro*A/B gene of *Escherichia coli*, the secondary attachment site for bacteriophage λ, 587
Processing of filamentous phage pre-coat protein; effects of sequence variations near the signal peptidase cleavage site, 103

Protein heterogeneity, detection in the ultracentrifuge by computer modelling, illustrated by pyruvate dehydrogenase multienzyme complex, 405
—, iron-containing, new: preliminary X-ray diffraction study of desulforedoxin, 593
—, pre-coat, processing for filamentous phages: effect of sequence variations near the signal peptidase cleavage site, 103
Proteins, cytoskeletal, used as marker of differentiation in mouse teratocarcinoma cells, 95
—, mutant, two (Glu49 → Met or Gln), and wild-type tryptophan synthase α-subunit, pH dependence of their stability, 455
Promoter-operator region of the tryptophan operon of *Salmonella typhimurium*, interaction with *Escherichia coli* RNA polymerase and *trp* repressor, 133
Promoters, tryptophan operon, wild-type and altered, of *Salmonella typhimurium* in *Escherichia coli*: functional analysis, 143
Protons, amide, interior, p^2H dependence of the exchange with their solvent in basic pancreatic trypsin inhibitor modified by reduction of the disulfide bond 14–38, 601
pSC101 plasmid, organization of chimeras formed with filamentous bacteriophage f1, 247
Pühler, A. (see also Heilmann, H.), 387
Pyruvate dehydrogenase multienzyme complex as illustration of detection in the ultracentrifuge of protein heterogeneity by computer modelling, 405

Ranney, H. M. (see also Sharma, V. S.), 267
recA$^+$-dependent cutting in DNA molecules, 117
*rec*A-dependent genetic switch generated by transposon Tn10, 215
Reeve, J. N. (see also Heilman, H.), 387
Refolding of reduced pancreatic trypsin inhibitor, role of the environment, 521
Reovirus mRNA, bisulfite-modified, binding of wheat germ ribosomes; evidence for a scanning mechanism, 291
Repair of damaged DNA, effect of *lig-7* on strand joining; also the effect on cutting of intact homologous DNA (cutting *in trans*), in *Escherichia coli*, 117
Restriction endonuclease, bacteriophage P1, transposon mutagenesis of the encoding gene; co-linearity of the gene and gene product, 387
— —, *Eco*P15, role of ATP in the cleavage mechanism, 501
— — *Hin*fIII isolated from *Haemophilus influenzae* Rf, cleavage and methylation of DNA, 415
RNA polymerase, *Escherichia coli*, and *trp* repressor interaction with the promoter-operator region of the tryptophan operon of *Salmonella typhimurium*, 133
Ribosomes, wheat germ, binding to bisulfite-modified reovirus mRNA: evidence for a scanning mechanism, 291
Rosenzweig, B. (see also Emmons, S. W.), 481
Ross, D. G. (see also Kleckner, N.), 215
Ross, P. & Howard-Flanders, P., Effect of *lig-7* on strand joining in repair of damaged DNA and on cutting of intact homologous DNA (cutting *in trans*) in *Escherichia coli*, 117
Russel, M. (see also Boeke, J. D.), 103

Salmonella typhimurium tryptophan operon, interaction of the promoter-operator region with *Escherichia coli* RNA polymerase and *trp* repressor, 133
— — wild-type and altered tryptophan operon promoters in *Escherichia coli*, functional analysis, 143
Scanning mechanism, mechanism for, in binding of wheat germ ribosomes to bisulfite-modified reovirus mRNA, 291
Scallop myofibrils, hybrid formation with foreign regulatory light-chains, 223
Schell, J. (see also Lemmers, M.), 353
Sellers, J. R., Chantler, P. D. & Szent-Györgyi, A. G., Hybrid formation between scallop myofibrils and foreign regulatory light-chains, 223
Sequence analysis of Tn*9* insertions in the *lacZ* gene, 19
— variations near the signal peptidase cleavage site, effect on processing of filamentous phage pre-coat protein, 103
Sequences, repeated, arrangement in the DNA of the nematode *Caenorhabditis elegans*, 481
Serine protease catalysis, a model; structures of product and inhibitor complexes of *Streptomyces griseus* at 1·8 Å resolution, 43
Sharma, V. S., Newton, G. L., Ranney, H. M., Ahmed, F., Harris, J. W. & Danish, E. H., Hemoglobin Rothschild (β37(C3)Trp → Arg): a high/low affinity hemoglobin mutant, 267

Sieker, L. C., Jensen, L. H., Bruschi, M., Legall, J., Moura, I. & Xavier, A. V., Desulforedoxin: preliminary X-ray diffraction of study of a new iron-containing protein, 593
Sielecki, A. R. (see also James, M. N. G.), 43
Signal peptidase cleavage site, effect of sequence variations on processing of filamentous phage pre-coat protein, 103
Simian virus 40 (see also Virus), 163
Size-dependence of a stable higher-order structure of chromatin, 89
Springer, M. (see also Plumbridge, J. A.), 595
Strand joining in repair of damaged DNA, effect of *lig-7*; also the effect on cutting of intact homologous DNA (cutting *in trans*), in *Escherichia coli*, 117
Streptomyces griseus protease A, structure of product and inhibitor complexes at 1·8 Å resolution; a model for serine protease catalysis, 43
Structure of chromatin, studies using deoxyribonuclease II as a probe; location of cleavage sites, 305
— — —, — — — — — — — —; mode of cleavage, 329
Structure of f1-pSC101 *in vivo* chimeras, 247
—, higher-order, stable, of chromatin, a study of size-dependence, 89
— of integrated SV40 DNA in transformed mouse cells, 163
— — product and inhibitor complexes of *Streptomyces griseus* protease A at 1·8 Å resolution; a model for serine protease catalysis, 43
Sugino, Y. (see also Yutani, K.), 455
Switch, genetic, *rec*A-dependent, generated by transposon Tn10, 215
Szent-Györgyi, A. G. (see also Sellers, J. R.), 223

Template-directed synthesis of oligoguanylates in the presence of metal ions, 579
Teratocarcinoma cells, mouse, cytoskeletal proteins used as marker of differentiation, 95
Thomas, J. O. & Butler, P. J. G., Size-dependence of a stable higher-order structure of chromatin, 89
Ti-plasmid DNA in nopaline crown gall tumours: internal organization, boundaries and integration, 353
Tn*9* insertions in the *lacZ* gene, sequence analysis, 19
Tn10-generated *rec*A-dependent genetic switch, 215
Transcription from the same promoter of genes for the two subunits of phenylalanyl-tRNA synthetase of *Escherichia coli*, 595
— units of adenovirus type 2; termination of transcription beyond the poly(A) addition site in early regions 2 and 4, 377
Transition, structural, reversible, in Pf1 filamentous bacterial virus; calorimetric, density and circular dichroism studies, 281
Transpositions in the *lac* region of *Escherichia coli*: genetic analysis, 1
Transposon mutagenesis of the gene encoding the bacteriophage P1 restriction endonuclease; co-linearity of the gene and gene product, 387
— Tn10-generated *rec*A-dependent genetic switch, 215
trp repressor and RNA polymerase of *Escherichia coli*, interaction with the promoter-operator region of the tryptophan operon of *Salmonella typhimurium*, 133
Trypsin inhibitor, pancreatic, reduced, role of the environment in refolding, 521
Tryptophan operon promoters, wild-type and altered, of *Salmonella typhimurium* in *Escherichia coli*; functional analysis, 143
— — of *Salmonella typhimurium*, interaction of the promoter-operator region with *Escherichia coli* RNA polymerase and *trp* repressor, 133
— synthase α-subunit, wild-type, and two mutant proteins (Glu49 → Met of Gln), pH dependence of their stability, 455
Tumours (see also Nopaline crown gall tumours), 353

Ultracentrifuge detection of protein heterogeneity by computer modelling, illustrated by pyruvate dehydrogenase multienzyme complex, 405

Van Montagu, M. (see also Lemmers, M.), 353
Van Roode, J. H. G. and Orgel, L. E., Template-directed synthesis of oligoguanylates in the presence of metal ions, 579
Virus, bacterial, filamentous, Pf1: calorimetric, density and circular dichroism studies of the reversible structural transition, 281
—, SV40: structure of integrated SV40 DNA in transformed mouse cells, 163
Vovis, G. F. (see also Fischoff, D. A.), 247

WAGNER, C. (see also WÜTHRICH, K.), 601
WAKELIN, L. P. G. & WARING, M. J., Kinetics of drug–DNA interaction: dependence of the binding mechanism on structure of the ligand, 183
WARING, M. J. (see also WAKELIN, L. P. G.), 183
WEISBERG, R. A. (see also PINKHAM, J. L.), 587
Wheat germ ribosomes, binding to bisulfite-modified reovirus mRNA: evidence for a scanning mechanism, 291
WIDOM, J. & BALDWIN, R. L., Cation-induced toroidal condensation of DNA. Studies with $Co^{3+}(NH_3)_6$, 431
Wild-type tryptophan synthase α-subunit and two mutant proteins (Glu49 → Met or Gln), pH dependence of their stability, 455
WÜTHRICH, K., EUGSTER, A. & WAGNER, G., p^2H dependence of the exchange with the solvent of interior amide protons in basic pancreatic trypsin inhibitor modified by reduction of the disulfide bond 14–38, 601

XAVIER, A. V. (see also SIEKER, L. C.), 593
X-ray diffraction of reconstituted collagen fibers, 397
— — study, preliminary, of desulforedoxin, a new iron-containing protein, 593

YANOFSKY, C. (see also OPPENHEIM, D. S.), 133, 143
YONETANI, T. (see also IMAI, K.), 551
YUAN, R., HAMILTON, D. L., HADI, S. M. & BICKLE, T. A. Role of ATP in the cleavage mechanism of the *Eco*P15 restriction endonuclease, 501
YUTANI, K., OGASAHARA, K. & SUGINO, Y., pH dependence of stability of the wild-type tryptophan synthase α-subunit and two mutant proteins (Glu49 → Met or Gln), 455

ZACHAU, H. G. (see also HÖRZ, W.), 305, 329
ZAMBRYSKI, P. (see also LEMMERS, M.), 353
ZINDER, N. D. (see also FISCHOFF, D. A.), 247
Zn^{2+} catalysis of accurate poly(C)-directed synthesis of 3′-5′-linked oligoguanylates, 567